

CLAIMS

1. A process for recovering an active catalyst component from a process stream containing, in addition to dissolved active catalyst component, also at least aldols,  
5 acetals and/or esters, which process includes  
admixing an alcohol component comprising at least one C<sub>1</sub> to C<sub>10</sub> alcohol, with the process stream to form solid active catalyst component; and  
recovering the solid active catalyst component from a residual alcohol-rich phase.
- 10 2. A process according to Claim 1, wherein the process stream is a hydroformylation process heavies purge stream, while the active catalyst component comprises a metal/carbon monoxide/ligand complex and, optionally, free ligand.
- 15 3. A process according to Claim 1 or Claim 2, wherein the alcohol component comprises at least one C<sub>1</sub> to C<sub>10</sub> monohydric alcohol and/or at least one C<sub>1</sub> to C<sub>10</sub> dihydric alcohol.
- 20 4. A process according to Claim 3, wherein the alcohol of the alcohol component is in concentrated or undiluted form.
5. A process according to Claim 4, wherein the alcohol component comprises a concentrated monohydric alcohol having 1 to 3 carbon atoms.
- 25 6. A process according to Claim 5, wherein the monohydric alcohol of the alcohol component is concentrated methanol or concentrated ethanol.
7. A process according to Claim 4, wherein the alcohol component comprises a concentrated dihydric alcohol having 2 to 8 carbon atoms.
- 30 8. A process according to Claim 7, wherein the dihydric alcohol component of the alcohol component is concentrated ethylene glycol or concentrated propylene glycol.

9. A process according to Claim 4, wherein the alcohol component comprises a mixture of at least two concentrated C<sub>1</sub> to C<sub>10</sub> alcohols.

10. A process according to any one of Claims 1 to 9 inclusive, wherein the alcohol component, on admixture thereof with the process stream, is at a temperature below room temperature and above its freezing temperature.

11. A process according to Claim 10, wherein the alcohol component is at a temperature below 0°C.

12. A process according to any one of Claims 1 to 11 inclusive, wherein the formation of the solid active catalyst component is by means of precipitation or crystallization.

13. A process according to any one of Claims 1 to 12 inclusive, which includes subjecting the process stream, after admixture of the alcohol component therewith, to centrifugation.

14. A hydroformylation process, which includes

reacting, in a reaction zone and in the presence of a hydroformylation catalyst, and at elevated temperature and pressure, an olefin-containing feedstock with carbon monoxide and hydrogen, to form aldehydes and/or alcohols;

withdrawing a reaction mixture comprising the alcohols, the aldehydes, unreacted feedstock, catalyst residue, heavies and, optionally, unreacted gaseous reactants, from the reaction zone;

in a separation zone, separating a gaseous phase from a liquid phase comprising the aldehydes, alcohols, unreacted feedstock, the heavies and the catalyst residue;

in a distillation zone, subjecting the liquid phase to distillation;

withdrawing from the distillation zone, as an overheads component, the alcohols, aldehydes and unreacted feedstock;

withdrawing from the distillation zone, as a bottoms component, the heavies and the catalyst residue, which comprises an active catalyst component and at least some of which is in solution;

admixing an alcohol component comprising at least one C<sub>1</sub> to C<sub>10</sub> alcohol, with at least a portion of the bottoms component to form solid catalyst component; and recovering the solid active catalyst component from a residual alcohol-rich phase.

- 5 15. A process according to Claim 14, wherein the active catalyst component comprises a metal/carbon monoxide/ligand complex and, optionally, free ligand.
- 10 16. A process according to Claim 14 or Claim 15, which includes recycling a portion of the bottoms component to the reaction zone, with the portion thereof that is admixed with the alcohol component thus constituting a heavies purge stream that is withdrawn.
- 15 17. A process according to Claim 16, wherein no dilution of the bottoms component; at least prior to the withdrawal of the heavies purge stream therefrom, or of the heavies purge stream, with a saturated or unsaturated aliphatic hydrocarbon having 3 to 20 carbon atoms or with an aromatic or hydrocarbyl-substituted aromatic hydrocarbon having from 6 to 22 carbon atoms, takes place.
- 20 18. A process according to any one of Claims 14 to 17 inclusive, wherein the alcohol component comprises at least one C<sub>1</sub> to C<sub>10</sub> monohydric alcohol and/or at least one C<sub>1</sub> to C<sub>10</sub> dihydric alcohol.
- 25 19. A process according to Claim 18, wherein the alcohol of the alcohol component is in concentrated or undiluted form.
20. A process according to Claim 19, wherein the alcohol component comprises a concentrated monohydric alcohol having 1 to 3 carbon atoms.
- 30 21. A process according to Claim 20, wherein the monohydric alcohol of the alcohol component is concentrated methanol or concentrated ethanol.
22. A process according to Claim 19, wherein the alcohol component comprises a concentrated dihydric alcohol having 2 to 8 carbon atoms.

23. A process according to Claim 22, wherein the dihydric alcohol component of the alcohol component is concentrated ethylene glycol or concentrated propylene glycol.

5 24. A process according to Claim 19, wherein the alcohol component comprises a mixture of at least two concentrated C<sub>1</sub> to C<sub>10</sub> alcohols.

25. A process according to any one of Claims 14 to 24 inclusive, wherein the alcohol component, on admixture thereof with the bottoms component, is at a temperature below room temperature and above its freezing temperature.

10

26. A process according to Claim 25, wherein the alcohol component is at a temperature below 0°C.

15 27. A process according to any one of Claims 14 to 26 inclusive, wherein the formation of the solid active catalyst component is by means of precipitation or crystallization.

20 28. A process according to any one of Claims 14 to 27 inclusive, which includes subjecting the bottoms component, after admixture of the alcohol component therewith, to centrifugation.